

AVVAL
ALWAYS AHEAD

AXXELUS
Safe Way is the Best Way



CLEAR THE HINDRANCE

**GRIP YOU
CAN TRUST**
SAFETY YOU CAN FEEL



TYER CATALOGUE
2026

AN ISO CERTIFIED COMPANY
ALL TYPE OF TYRES MANUFACTURERS



OUR PROFILE



SINGLA AGROTECH PRIVATE LIMITED was founded in 2006 and is engaged in the manufacturing and exporting of Two Wheelers, Three Wheelers, Agriculture, ADV & LCV Tyres. We are the proud owners of ISO, ISI, E MARK certification issued by the Government of India. Being applauded for being dimensionally accurate and resistant to punctures or wear and tear, our offered product line is comprehensive, and is inclusive of OTR Irrigation, Two Wheelers, Three Wheelers, Agriculture, ADV & LCV Tyres

We have a sophisticated manufacturing unit equipped with cutting edge technology tools for delivering products in compliance with the prevalent market trends. Our quality control unit is loaded with the most efficient and latest equipments for the assurance of an optimum level of quality. We have an efficient Research and Development department for incorporating new trends and techniques in our manufacturing process for increasing the productivity. Our spacious warehouse is used for storing bulk orders systematically. We have a dedicated team of members comprising of technicians, researchers, quality controllers, engineers and warehouse personnel, who work in coordination with each other.

Our mentor, Mr. Sujeet Bhardwaj, is the biggest source of inspiration for our firm and has nurtured the organization with his experience and a wide knowledge base. His constant efforts have made the firm set a benchmark in the industry. We export our product all over the world.

OUR CERTIFICATION



MANAGEMENT SYSTEM CERTIFICATE



This is to certify that

SINGLA AGROTECH PRIVATE LIMITED

PLOT NO. 42-43A, INDUSTRIAL AREA, PILIBANGAN, HANUMANGARH,
RAJASTHAN- 335803, INDIA.

Has been assessed by RAPL and found to comply with the requirements of

ISO 45001 : 2018 Occupational Health & Safety Management Systems

For the following activities:

MANUFACTURER AND SUPPLIER OF TYRES, WHEELS AND AXCEL.

Certificate Number: E20260140257
Date of certification: 07/01/2026
1st Surveillance on or before: 06/01/2027
2nd Surveillance on or before: 06/01/2028
Certification Valid Until: 06/01/2029



Arashy
Director (Certification)

ROYAL ASSESSMENTS PVT. LTD.

623 A, Tower-B, iThum, Plot No. A-40, Sector - 62, Noida 201301, India.
www.royalapl.com, info@royalapl.com
Phone - 01146107691

This Certificate can be verified at www.iafcertsearch.org

This Certificate is an endorsement of certified clients certification status but remains the property of Royal Assessments Pvt. Ltd. Certificate must be returned on RAPL's request or if certificate is withdrawn. Validity of certificate is subject to successful completion of surveillance. RAPL is accredited by EGAC, Egypt. EGAC is member of International Accreditation Forum (IAF) and signatory of MLA.



MANAGEMENT SYSTEM CERTIFICATE



This is to certify that

SINGLA AGROTECH PRIVATE LIMITED

PLOT NO. 42-43A, INDUSTRIAL AREA, PILIBANGAN, HANUMANGARH,
RAJASTHAN- 335803, INDIA.

Has been assessed by RAPL and found to comply with the requirements of

ISO 9001 : 2015 Quality Management Systems

For the following activities:

MANUFACTURER AND SUPPLIER OF TYRES, WHEELS AND AXCEL.

Certificate Number: E20260140255
Date of certification: 07/01/2026
1st Surveillance on or before: 06/01/2027
2nd Surveillance on or before: 06/01/2028
Certification Valid Until: 06/01/2029



Arashy
Director (Certification)

ROYAL ASSESSMENTS PVT. LTD.

623 A, Tower-B, iThum, Plot No. A-40, Sector - 62, Noida 201301, India.
www.royalapl.com, info@royalapl.com
Phone - 01146107691

QMS Certification CAB# 119012

This Certificate can be verified at www.iafcertsearch.org

This Certificate is an endorsement of certified clients certification status but remains the property of Royal Assessments Pvt. Ltd. Certificate must be returned on RAPL's request or if certificate is withdrawn. Validity of certificate is subject to successful completion of surveillance. RAPL is accredited by EGAC, Egypt. EGAC is member of International Accreditation Forum (IAF) and signatory of MLA.



MANAGEMENT SYSTEM CERTIFICATE



This is to certify that

SINGLA AGROTECH PRIVATE LIMITED

PLOT NO. 42-43A, INDUSTRIAL AREA, PILIBANGAN, HANUMANGARH,
RAJASTHAN- 335803, INDIA.

Has been assessed by RAPL and found to comply with the requirements of

ISO 14001 : 2015 Environmental Management Systems

For the following activities:

MANUFACTURER AND SUPPLIER OF TYRES, WHEELS AND AXCEL.

Certificate Number: E20260140256
Date of certification: 07/01/2026
1st Surveillance on or before: 06/01/2027
2nd Surveillance on or before: 06/01/2028
Certification Valid Until: 06/01/2029



Arashy
Director (Certification)

ROYAL ASSESSMENTS PVT. LTD.

623 A, Tower-B, iThum, Plot No. A-40, Sector - 62, Noida 201301, India.
www.royalapl.com, info@royalapl.com
Phone - 01146107691

EMS Certification CAB# 119012

This Certificate can be verified at www.iafcertsearch.org

This Certificate is an endorsement of certified clients certification status but remains the property of Royal Assessments Pvt. Ltd. Certificate must be returned on RAPL's request or if certificate is withdrawn. Validity of certificate is subject to successful completion of surveillance. RAPL is accredited by EGAC, Egypt. EGAC is member of International Accreditation Forum (IAF) and signatory of MLA.

INDEX.....

Tractor Front Tires	Page No. 2 - 3
Tractor Rear R-1 Tires.....	Page No. 4 - 5
Irrigation Drive R-1 Tires	Page No. 6 - 7
Grader G-2 Tires	Page No. 8 - 9
Agricultural Implement Tires.....	Page No. 10 - 11
Industrial R-4 Tires	Page No. 12 - 13
Flotation Implement Tires.....	Page No. 14
Forklift Tires / Lwan Garden Tires.....	Page No. 15
Two Wheeler & E-Rikshaw Tires.....	Page No. 16 - 17
Two Wheeler, Trailer and ADV Tires	Page No. 18 - 19

Our Team

The constant dedication and committed efforts catered by our team members have taken the firm to the highest peak of success. Our organization ensures the recruitment of only skilled professionals, who are experienced and have a wide knowledge in their respective domain. We have engineers, technicians, quality controllers, warehouse personnel, packaging personnel and transportation personnel. All of our team members are extremely well versed in their respective departments and work in coordination for maximum productivity & best Quality.

Infrastructure

We have a sophisticated manufacturing unit loaded with high capacity machines for a smooth running of the production process. Our quality control unit is equipped with the latest technology machines and engaged in following stringent measures of quality control for meeting with the industry standards. Our warehouse is spacious and is divided into various sections for storing different range of products properly along with handling bulk orders conveniently. We have a large transportation network for meeting with the timely delivery of orders.

Quality Assurance

We have captured the market by manufacturing and supplying a comprehensive range of products for our revered clientele. Our products are exceptional in quality and durability. Procurement of raw materials is done from reliable vendors, whose track records are constantly maintained. Being a reputed exporter our products are extensively checked for quality assurance by our team of experienced quality controllers, including the testing for gripping power and resistance to thermal expansion. We believe in catering our customers with flawless products, which are exceptional in finish and dimensional accuracy.

AVVAL
ALWAYS AHEAD

AXXELUS
Safe Way is the Best Way



CLEAR THE HINDRANCE



**GRIP YOU
CAN TRUST**
SAFETY YOU CAN FEEL



A-222

A-222

Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Maximum Load		Cold Inflation Pressure			
						Single	Dual	Single		Dual	
						(Kgs.)	(Kgs.)	(PSI)	(Kpa)	(PSI)	(Kpa)
6.50-14	Light Truck	8	182	705	10.5	840	795	60	425	60	425
6.50-15	Light Truck	10	175	725	11.5	970	920	73	500	73	500
7.00-15	Light Truck	12	205	760	11.5	1175	1030	90	620	90	620
7.50-15	Light Truck	14	215	780	13	1450	1375	94	650	94	650
7.00-16	Light Truck	14	200	796	12.5	1315	1160	100	690	100	690
7.50-16	Light Truck	16	222	830	12.5	1580	1390	110	760	110	760
8.25-16	Light Truck	16	235	860	14	1845	1755	110	760	110	760
8.25-20	Truck/Bus	16	232	970	14	2300	2000	120	825	110	760
9.00-20	Truck/Bus	16	262	1035	14	2650	2360	115	795	105	725
10.00-20	Truck/Bus	18	280	1065	15.5	3080	2700	120	825	110	760
11.00-20	Truck/Bus	18	300	1090	15	3355	2945	120	825	110	760



A-111

A-111

Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Maximum Load		Cold Inflation Pressure			
						Single	Dual	Single		Dual	
						(Kgs.)	(Kgs.)	(PSI)	(Kpa)	(PSI)	(Kpa)
6.50-14	Light Truck	10	182	705	15	840	795	60	425	60	425
7.00-15	Light Truck	12	205	770	17	1175	1030	90	620	90	620
7.50-15	Light Truck	14	220	800	15	1450	1375	94	650	94	650
7.00-16	Light Truck	14	205	807	18	1315	1160	100	690	100	690
7.50-16	Light Truck	16	220	860	17.4	1580	1390	110	760	110	760
8.25-16	Light Truck	16	230	835	17.6	1845	1755	110	760	110	760
10.00-20	Truck/Bus	18	280	1065	21.5	3080	2700	120	825	110	760
11.00-20	Truck/Bus	18	292	1110	21.5	3355	2945	120	825	110	760
12.00-20	Truck/Bus	18	314	1140	21.5	3725	3265	115	795	105	725



A-111

A-111

Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Maximum Load		Cold Inflation Pressure			
						Single	Dual	Single		Dual	
						(Kgs.)	(Kgs.)	(PSI)	(Kpa)	(PSI)	(Kpa)
7.00-15	Light Truck	12	205	770	16	1175	1030	90	620	90	620
7.50-15	Light Truck	14	220	805	15.5	1450	1375	94	650	94	650
7.00-16	Light Truck	14	205	800	16.5	1315	1160	100	690	100	690
7.50-16	Light Truck	16	220	835	17.5	1580	1390	110	760	110	760
8.25-16	Light Truck	16	230	860	17.5	1845	1755	110	760	110	760
8.25-20	Truck/Bus	16	232	970	19.5	2300	2000	120	825	110	760
9.00-20	Truck/Bus	16	262	1055	20.5	2650	2325	115	795	105	725
10.00-20	Truck/Bus	18	280	1075	24.5	3080	2700	120	825	110	760



MININ GOLD

MININ GOLD						Maximum Load	Cold Inflation Pressure	
Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	(Kgs.)	(PSI)	(Kpa)
9.00-20	Mining (Truck)	16	265	1065	22.5	2500	101	700
10.00-20	Mining (Truck)	18	275	1075	22.5	2800	110	760
11.00-20	Mining (Truck)	18	292	1117	22.5	3000	110	760



VEER / SAMRATH

VEER / SAMRATH

Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Maximum Load	Cold Inflation Pressure	
						Single	Single	
						(Kgs)	(PSI)	(Kpa)
8.3-24	Farm	6	211	995	26	810	34	230
9.5-24	Farm	8	230	1055	26	1120	41	280
11.2-24	Farm	8	232	1056	27	1550	36	248
12.4-24	Farm	12	335	1155	28	1820	50	350
13.6-24	Farm	12	345	1209	36	1900	42	209
14.9-24	Farm	12	375	1265	26	2000	38	260
16.9-28	Farm	12	430	1420	31	2240	30	207
16.9-30	Farm	14	450	1495	38	3150	52	360
18.4-30	Farm	14	470	1565	38	3450	37	260
23.1-30	Farm	14	590	1710	43	4250	29	200
16.9-34	Farm	12	429	1585	29	2500	32	220
18.4-34	Farm	14	462	1635	28	3750	38	260
11.2-38	Farm	12	285	1250	29	1285	26	180
13.6-38	Farm	12	345	1565	37	2430	44	300
15.5-38	Farm	12	385	1620	38	2575	38	260
18.4-38	Farm	14	470	1762	37	3837	36	248
20.8-38	Farm	14	532	1852	36	4500	35	241



VEER

VEER						Maximum Load	Cold Inflation Pressure	
Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Single	Single	
						(Kgs)	(PSI)	(Kpa)
12.4-28	Farm	12	322	1280	38	1650	36	250
13.6-28	Farm	12	345	1310	36	1800	33	230
14.9-28	Farm	12	378	1365	36	2120	33	230
18.4-30	Farm	14	470	1565	38	3450	37	260



SAMRATH

SAMRATH						Maximum Load	Cold Inflation Pressure	
Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Single	Single	
						(Kgs)	(PSI)	(Kpa)
12.4-28	Farm	12	322	1280	38	1650	36	250
13.6-28	Farm	12	345	1310	36	1800	33	230
14.9-28	Farm	12	378	1365	36	2120	33	230
16.9-28	Farm	14	450	1495	38	3150	52	360



CLEAR THE HINDRANCE

SINGLA AGROTECH PRIVATE LIMITED

PLOT NO. 42, 43 A, RICCO INDUSTRIAL
AREA, Pilibanga, Rajasthan 335803

 Blackpearltyres@gmail.com

 +91-9882509555  +91-7740842222

 +91-99999 11519

